











No.	Artikel	Portio100 Se 1000 Se K			WEE1	2	3	4	5	
6379	ALOINOPSIS lodewykii	1,30	4,20	36,40	<!D					
6385	ALOINOPSIS luckhoffii	1,40	4,30	37,40	<!D					
6380	ALOINOPSIS malherbei	1,50	4,60	39,60	<!D					
6389	ALOINOPSIS Mischung-mixed	1,20	3,60	26,40	<!D					
6390	ALOINOPSIS orpenii	1,20	3,60	26,40	<!D					
6382	ALOINOPSIS peersii	1,40	4,30	35,20	<!D					
6386	ALOINOPSIS rosulata	1,30	4,00	30,80	<!D					
6378	ALOINOPSIS rubroliniata	1,50	4,60	41,80	<!D					
6387	ALOINOPSIS schooneesii	1,80	5,30	48,40	<!D					
6381	ALOINOPSIS setifera	1,40	4,30	35,20	<!D					
6383	ALOINOPSIS spatulata	1,80	5,30	48,40	<!D					
6027	ALOINOPSIS thudichumii	1,30	3,90	44,80	<!D					
6388	ALOINOPSIS villetii	1,50	4,80	41,60	<!D					
6543	ANTIMIA dualis	1,20	3,60	23,10	<!D					
6529	ANTIMIA pygmaea	1,20	3,60	28,60	<!D					
6507	ANTIMIA ventricosa	1,30	4,00	35,20	<!D					
6003	ARGYRODERMA aureum	1,20	3,60	28,60	<!D					
6005	ARGYRODERMA braunsii	1,20	3,60	26,40	<!D					
6007	ARGYRODERMA brevipes	1,20	3,60	26,40	<!D					
6401	ARGYRODERMA congregatum	1,40	4,80	42,00	<!D					
6413	ARGYRODERMA crateriforme	1,50	4,60	39,60	<!D					
6410	ARGYRODERMA delaetii (DE)	1,20	3,60	28,60	<!D					
6405	ARGYRODERMA fissum	1,20	3,60	26,40	<!D					





6411	ARGYRODERMA hallii	1,20	3,60	<!D	    	
6408	ARGYRODERMA luckhoffii	1,20	3,60	19,80	<!D	    
6014	ARGYRODERMA Mischung,mixed	1,20	3,60	26,40	<!D	    
6402	ARGYRODERMA octophyllum	1,20	3,60	19,80	<!D	    
6412	ARGYRODERMA pearsonii	1,20	3,60	26,40	<!D	    
6015	ARGYRODERMA ringens	1,20	3,60	26,40	<!D	    
6011	ARGYRODERMA roseum	1,20	3,60	26,40	<!D	    
6409	ARGYRODERMA testiculare	1,40	4,30	<!D	    	
6433	BERGERANTHUS jamesii	1,20	3,60	26,40	<!D	    
6023	BIJLIA cana	1,20	3,60	26,40	<!D	    
6092	CARPANTHEA pomeridiana	1,30	4,00	30,80	<!D	    
6030	CARPOBROTUS acinaciformis	1,20	3,60	18,20	<!D	    
6025	CARPOBROTUS edulis	1,20	3,60	19,80	<!D	    
6440	CEPHALOPHYLLUM alstonii	1,20	3,60	28,40	<!D	    
6459	CEPHALOPHYLLUM confusum	1,20	<!D	    		
6443	CEPHALOPHYLLUM cupreum	1,20	3,60	<!D	    	
6034	CEPHALOPHYLLUM Mischung	1,20	3,60	17,60	<!D	    
6033	CEPHALOPHYLLUM niveum	1,20	3,60	28,40	<!D	    
6450	CEPHALOPHYLLUM pillansii	1,20	3,60	26,40	<!D	    
6444	CEPHALOPHYLLUM procumbens	1,20	3,60	15,40	<!D	    
6447	CEPHALOPHYLLUM pulchrum	1,20	3,60	28,20	<!D	    
6456	CEPHALOPHYLLUM spissum	1,20	3,60	28,40	<!D	    
6445	CEPHALOPHYLLUM spongiosum	1,30	4,00	29,80	<!D	    
6874	CEROCHLAMYS pachyphylla	1,50	4,60	39,60	<!D	    

6048	CHEIRIDOPSIS candidissima	1,20	3,60	15,40	<!D					
6645	CHEIRIDOPSIS carinata	1,20	3,60	19,80	<!D					
6639	CHEIRIDOPSIS cuprea	1,20	3,60	19,80	<!D					
6636	CHEIRIDOPSIS marlothii	1,20	3,60	19,80	<!D					
6040	CHEIRIDOPSIS Mischung,mixed	1,20	3,60	19,80	<!D					
6043	CHEIRIDOPSIS peculiaris	1,30	4,00		<!D					
6044	CHEIRIDOPSIS pillansii	1,40	4,30	37,40	<!D					
6642	CHEIRIDOPSIS purpurascens	1,20			<!D					
6638	CHEIRIDOPSIS purpurea	1,20	3,60	28,60	<!D					
6647	CHEIRIDOPSIS schlechteri	1,20	3,60	17,60	<!D					
6045	CHEIRIDOPSIS vanzylii	1,30	4,00	35,20	<!D					
6643	CHEIRIDOPSIS verrucosa	1,40	4,30	35,20	<!D					
6661	CONICOSIA capense	1,10	3,30		<!D					
6662	CONICOSIA pugioniformis	1,20	3,60	24,20	<!D					
6074	CONOPHYTUM bilobum	2,40	7,50	62,00	<!D					
6897	CONOPHYTUM bilobum ssp.altum	3,20			<!D					
6877	CONOPHYTUM bolusiaae	3,80	12,40		<!D					
6841	CONOPHYTUM burgeri	10,60			<!D					
6056	CONOPHYTUM calculus	2,90	8,70	69,30	<!D					
6077	CONOPHYTUM christiansenianum	2,20	6,60	34,80	<!D					
6941	CONOPHYTUM comptonii	1,60	4,40		<!D					
6072	CONOPHYTUM diversum	2,90	8,60		<!D					
6493	CONOPHYTUM ectypum	2,90	8,60		<!D					
6067	CONOPHYTUM flavum ssp. novicium	4,20			<!D					

6909	CONOPHYTUM flavum x tischeri	3,80	<!D					
6331	CONOPHYTUM friedrichiae=OPHTHALMOPHYLLUM	2,60 7,80 58,00	<!D					
6937	CONOPHYTUM gratum	4,20	<!D					
6921	CONOPHYTUM herreanthus	4,60 14,10	<!D					
6943	CONOPHYTUM jucundum	2,90	<!D					
6940	CONOPHYTUM leopardianum	3,80 12,40	<!D					
6076	CONOPHYTUM limpidum-OPHTHALMOPHYLLUM	2,90 7,80	<!D					
6562	CONOPHYTUM lydiae-OPHTHALMOPHYLLUM	2,60 7,80	<!D					
6945	CONOPHYTUM marginatum	4,20	<!D					
6924	CONOPHYTUM marnierianum	4,20 12,80	<!D					
6078	CONOPHYTUM meyeri	4,20 12,40	<!D					
6851	CONOPHYTUM meyeri v globuliforme	4,20 12,80	<!D					
6880	CONOPHYTUM meyeri v laetum	3,90	<!D					
6057	CONOPHYTUM minutum	2,90 8,60	<!D					
6061	CONOPHYTUM minutum - v pearsonii	4,20 12,80	<!D					
6060	CONOPHYTUM obcordellum	2,80 7,40	<!D					
6068	CONOPHYTUM ornatum	2,90 8,60 68,00	<!D					
6722	CONOPHYTUM praesectum-OPHTHALMOPHYLLUM	2,60 7,80 68,00	<!D					
6563	CONOPHYTUM sp Namib-OPHTHALMOPHYLLUM	2,69 7,80	<!D					
6933	CONOPHYTUM subfenestratum-OPHTHALMOPHYLLUM	2,60 7,80 68,00	<!D					
6333	CONOPHYTUM triebneri-OPHTHALMOPHYLLUM	2,60 7,80 68,00	<!D					
6063	CONOPHYTUM uvaeforme	2,80 7,40	<!D					
6936	CONOPHYTUM verrucosum	3,40 12,20 68,00	<!D					
6001	CYLINDROPHYLLUM tugwelliae	1,40 4,30	<!D					


6080	DACTYLOPSIS digitata wintergrower	1,60	5,80	59,60	<!D	    
6417	DELOSPERMA aberdeenense	1,20	3,60	19,80	<!D	    
6082	DELOSPERMA ashtonii	1,20			<!D	    
6084	DELOSPERMA bosseranum	1,40			<!D	    
6466	DELOSPERMA cooperi	1,20	3,60	24,80	<!D	    
6465	DELOSPERMA cv table mountain	1,20			<!D	    
6462	DELOSPERMA ecklonis	1,30			<!D	    
6414	DELOSPERMA harazianum	1,40			<!D	    
6464	DELOSPERMA lydenburgense	1,20	3,60		<!D	    
6081	DELOSPERMA nakurense	1,20	3,60	26,40	<!D	    
6418	DELOSPERMA napiforme	1,20	4,10	28,90	<!D	    
6468	DELOSPERMA pachyrhizum	1,30			<!D	    
6416	DELOSPERMA sutherlandii	1,10	3,30	18,90	<!D	    
6470	DIDYMAOTUS lapidiformis	1,80	5,60	49,20	<!D	    
6478	DINTERANTHUS inexpectatus	4,60	41,80		<!D	    
6480	DINTERANTHUS pole-evansii	6,80	54,60		<!D	    
6481	DINTERANTHUS puberulus	4,60	38,20		<!D	    
6483	DINTERANTHUS vanzylii	4,60	41,80		<!D	    
6484	DINTERANTHUS willmotianus	4,80	44,80		<!D	    
6090	DISPHYMA crassifolium	1,20	3,60	24,20	<!D	    
6095	DOROTHEANTHUS apetalus	1,30			<!D	    
6094	DOROTHEANTHUS bellidiformis	1,20	3,60	19,80	<!D	    
6097	DOROTHEANTHUS gramineus	1,20	3,60	15,40	<!D	    
6487	DRACOPHILUS montis draconis	1,80	4,60		<!D	    

6111	DROSANTHEMUM ambiguum	1,30	4,00	35,20	<!D					
6104	DROSANTHEMUM floribundum	1,20	3,60	15,40	<!D					
6105	DROSANTHEMUM hispidum	1,40	4,20	36,80	<!D					
6119	DROSANTHEMUM marinum	1,20	3,60	19,80	<!D					
6114	DROSANTHEMUM micans	1,20			<!D					
6109	DROSANTHEMUM Mischung	1,20	3,60		<!D					
6107	DROSANTHEMUM speciosum	1,40			<!D					
6494	EBRACTEOLA wilmaniae	1,50	4,60	39,60	<!D					
6750	EREPSIA bracteata	1,20	3,60		<!D					
6123	FAUCARIA albidens	1,20	3,60	15,40	<!D					
6122	FAUCARIA bosscheana	1,20	3,60	28,60	<!D					
6124	FAUCARIA felina	1,30	4,00	32,00	<!D					
6130	FAUCARIA Mischung-mixed	1,20	3,60	16,50	<!D					
6133	FAUCARIA paucidens	1,20	3,60	30,80	<!D					
6127	FAUCARIA subintegra	1,20	3,60	28,60	<!D					
6129	FAUCARIA tigrina	1,20	3,60	24,80	<!D					
6121	FAUCARIA tuberculosa	1,20	3,60	24,20	<!D					
6134	FAUCARIA woollii	1,20	3,60		<!D					
6140	FENESTRARIA aurantiaca	1,20	3,60	24,80	<!D					
6141	FENESTRARIA rhopalophylla	1,80	5,30		<!D					
6489	FRITHIA humilis=minima	1,60	5,00		<!D					
6490	FRITHIA pulchra rote Bluete	1,50	4,60	29,80	<!D					
6142	GIBBAEUM album pink	2,20	6,60		<!D					
6516	GIBBAEUM comptonii	1,60	5,20	42,80	<!D					

6511	GIBBAEUM dispar	1,60	5,20	46,80	<!D					
6144	GIBBAEUM haagii	1,20	3,60	30,80	<!D					
6145	GIBBAEUM heathii	1,30	4,00	34,20	<!D					
6149	GIBBAEUM Mischung	1,20	3,60	32,40	<!D					
6514	GIBBAEUM pilosulum	2,90	8,70	59,40	<!D					
6146	GIBBAEUM pretense	1,20	3,60	26,40	<!D					
6147	GIBBAEUM pubescens	2,20	6,60	48,80	<!D					
6518	GIBBAEUM schwantesii	1,30	4,00	30,80	<!D					
6519	GIBBAEUM shandii	1,20	3,60	29,80	<!D					
6148	GIBBAEUM velutinum purple	1,20	3,60	30,80	<!D					
6515	GIBBAEUM velutinum v album(schwantesii)	1,20	3,60		<!D					
6156	GLOTTIPHYLLUM crucinatum	1,20	3,60	29,40	<!D					
6153	GLOTTIPHYLLUM linguiforme	1,20	3,60	26,40	<!D					
6162	GLOTTIPHYLLUM longum	1,40			<!D					
6150	GLOTTIPHYLLUM Mischung	1,20	3,60	26,40	<!D					
6158	GLOTTIPHYLLUM murii	1,30			<!D					
6159	GLOTTIPHYLLUM nelii	1,40	4,30	38,50	<!D					
6161	GLOTTIPHYLLUM regium	1,60	4,20	38,00	<!D					
6482	IHLENFELDTIA vanzylii	1,20	3,60	28,60	<!D					
6784	LAMPRANTHUS emarginatus	1,20	3,60		<!D		#VALUE!			
6763	LAMPRANTHUS macrocarpus	1,20	3,60		<!D					
6191	LAMPRANTHUS Mischung,mixed	1,20	3,60	19,80	<!D					
6776	LAMPRANTHUS multiradiatus	1,20	3,60	15,40	<!D					
6790	LAMPRANTHUS roseus	1,20	3,60	17,60	<!D					

6192	LAPIDARIA margaretae	1,20	3,60	28,60	<!D					
6896	LITHOPS amicorum C410	1,50	4,60		<!D					
6200	LITHOPS aucampiae	1,20	3,60	28,60	<!D					
6201	LITHOPS aucampiae - Fire Brand	1,40	4,20	38,40	<!D					
6908	LITHOPS aucampiae - v Jackson s Jade	1,50	4,60	39,60	<!D					
6276	LITHOPS aucampiae - v koelemannii	1,40	4,40	38,00	<!D					
6804	LITHOPS aucampiae - v kuruman	1,60	4,80	42,60	<!D					
6255	LITHOPS aucampiae --v euniceae	1,40	4,20	36,40	<!D					
6259	LITHOPS aucampiae --v fluminalis	1,30	4,20		<!D					
6872	LITHOPS aucampiae var storms snowcap	1,40	4,40	38,20	<!D					
6199	LITHOPS aucampiae,red+black selection	1,30	4,00	32,00	<!D					
6866	LITHOPS bella C285	1,40	4,20		<!D					
6203	LITHOPS bella C285 - v eberlanzii	1,40	4,30	37,40	<!D					
6205	LITHOPS bromfieldii	1,30	4,00	30,80	<!D					
6214	LITHOPS bromfieldii - v glaudinae	1,40	4,40	38,20	<!D					
6871	LITHOPS bromfieldii - v insularis C57	1,30	4,00	32,00	<!D					
6836	LITHOPS bromfieldii - v insularis Sulphurea	1,60	4,90	42,80	<!D					
6233	LITHOPS bromfieldii -- v mennellii	1,30	4,10	36,60	<!D					
6219	LITHOPS bromfieldii --v insularis	1,30	4,00	29,70	<!D					
6855	LITHOPS coleorum	1,20	3,90	32,80	<!D					
6262	LITHOPS comptonii	1,30	4,00	35,20	<!D					
6256	LITHOPS dinteri	1,50	4,50		<!D					
6260	LITHOPS dinteri - v brevis	1,40	4,40	36,00	<!D					
6809	LITHOPS dinteri - v multipunctata	1,60	4,80	42,60	<!D					



6808	LITHOPS dinteri --v frederici	1,40	4,30	37,40	<!D					
6207	LITHOPS divergens	1,60	4,80	42,20	<!D					
6289	LITHOPS divergens - v amethystina	1,40	4,60	42,20	<!D					
6208	LITHOPS dorotheae C124	1,30	4,00	28,00	<!D					
6811	LITHOPS francisci	1,30	3,90	32,80	<!D					
6812	LITHOPS fulleri - v rouxii	1,50	4,60	41,80	<!D					
6211	LITHOPS fulviceps	1,30	4,00	30,80	<!D					
6813	LITHOPS fulviceps - v lactinea	1,30	3,90	34,80	<!D					
6837	LITHOPS fulviceps v lydiae	1,60	4,80		<!D					
6253	LITHOPS fulviceps -- V Aurea C363	1,40	4,30	35,20	<!D					
6212	LITHOPS gesinae	1,40	4,80		<!D					
6213	LITHOPS gesinae - v annae	1,60	4,80	42,60	<!D					
6273	LITHOPS geyeri	1,40	4,80	42,60	<!D					
6215	LITHOPS gracilidelineata	1,80	5,40	48,40	<!D					
6805	LITHOPS gracilidelineata - v brandbergensis	1,60			<!D					
6216	LITHOPS hallii	1,30	4,00	30,80	<!D					
6806	LITHOPS hallii - v ochracea	1,30	4,00	37,40	<!D					
6856	LITHOPS hallii - v ochracea green soapstone	1,80	5,40	46,80	<!D					
6217	LITHOPS helmutii	1,30	4,00	35,20	<!D					
6287	LITHOPS hermetica	1,50	4,60	39,20	<!D					
6257	LITHOPS herrei	1,50	4,50		<!D					
6298	LITHOPS hookeri	1,30	4,00	35,20	<!D					
6297	LITHOPS hookeri - v dabneri	1,30	4,00	29,70	<!D					
6825	LITHOPS hookeri - v elephina	1,30	4,00		<!D					

6864	LITHOPS hookeri - v lutea CO 38	1,40	4,20	38,40	<!D					
6848	LITHOPS hookeri - v marginata	1,40	4,20	36,40	<!D					
6220	LITHOPS julii	1,50	4,60	28,60	<!D					
6862	LITHOPS julii - v fulleri rouxii C 216	1,30	4,00	35,20	<!D					
6218	LITHOPS julii - v ssp Fullergreen	1,50	4,60	37,40	<!D					
6248	LITHOPS julii KIKUSHI-GYUKU	1,40	4,20	38,40	<!D					
6226	LITHOPS lesliei	1,20	3,60	28,20	<!D					
6816	LITHOPS lesliei - form AlbinicaC36A	1,30	4,00	28,90	<!D					
6843	LITHOPS lesliei - Kimberley form	1,30	4,00	34,60	<!D					
6817	LITHOPS lesliei - v albiflora	1,40	4,20		<!D					
6292	LITHOPS lesliei - v horni	1,40	4,20	38,40	<!D					
6264	LITHOPS lesliei - v mariae C152	1,40	4,20		<!D					
6227	LITHOPS lesliei - v minor	1,40	4,20		<!D					
6815	LITHOPS lesliei - v moraisii	1,40	4,20		<!D					
6858	LITHOPS lesliei - v Pietersburg form	1,40	4,30	28,60	<!D					
6228	LITHOPS lesliei - v venterii C001	1,50	4,50	39,50	<!D					
6229	LITHOPS localis - v peersii	1,20	3,60		<!D					
6802	LITHOPS localis - v Polepskie smaragd	1,50	4,50	39,50	<!D					
6275	LITHOPS marmorata - v elisae	1,30	4,20	37,40	<!D					
6265	LITHOPS marmorata - v framesii	1,30	4,00	35,20	<!D					
6231	LITHOPS marmorata C260	1,20	3,60	28,60	<!D					
6879	LITHOPS marmorata ,30Km s Violsdrift	1,20	3,60		<!D					
6860	LITHOPS marmorata ,Areb	1,30	4,00	30,80	<!D					
6859	LITHOPS marmorata ,Kangnas	1,30	4,00	30,80	<!D					

6847	LITHOPS marmorata F1127E ,Umdaus	1,30	4,00	28,00	<!D					
6497	LITHOPS marmorata Polepsky smaragd	1,50	4,60	35,20	<!D					
6249	LITHOPS marmorata= umdausensis	1,30			<!D					
6254	LITHOPS Mischung -mixed	1,20	3,60	28,60	<!D					
6833	LITHOPS naureeniae	1,40	4,30	36,60	<!D					
6235	LITHOPS olivacea	1,40	4,30	37,40	<!D					
6849	LITHOPS olivacea - v neobrownii	1,40	4,30	37,40	<!D					
6237	LITHOPS optica - v rubra	6,20	18,60	98,20	<!D					
6294	LITHOPS otzeniana	1,50	4,60	36,20	<!D					
6822	LITHOPS otzeniana - v aquamarine	1,40	4,80		<!D					
6238	LITHOPS pseudotruncatella	1,30	3,90	31,80	<!D					
6819	LITHOPS pseudotruncatella - v archerae	1,50	4,60	39,80	<!D					
6283	LITHOPS pseudotruncatella - v dendritica	1,50	4,60	36,20	<!D					
6240	LITHOPS pseudotruncatella - v mundtii	1,40	4,20		<!D					
6852	LITHOPS pseudotruncatella - v riemeerae C097	1,30	4,00		<!D					
6268	LITHOPS pseudotruncatella -- v volkii	1,50	4,80	42,60	<!D					
6242	LITHOPS salicola	1,20	3,60	28,60	<!D					
6846	LITHOPS salicola - v Malachite form	1,40	4,80	36,60	<!D					
6269	LITHOPS salicola - v reticulata	1,40	4,20		<!D					
6894	LITHOPS salicola --v maculata	1,30	4,00	35,20	<!D					
6898	LITHOPS salicola Sato.s violet	2,60	8,20		<!D					
6243	LITHOPS schwantesii	1,20	3,60	31,80	<!D					
6232	LITHOPS schwantesii - v marthae C299	1,20	3,60	28,60	<!D					
6246	LITHOPS schwantesii - v rugosa	1,40	4,20	36,80	<!D					

6271	LITHOPS schwantesii - v triebneri	1,30	4,00	30,80	<!D					
6247	LITHOPS schwantesii - v urikosensis	1,40	4,20	36,80	<!D					
6895	LITHOPS schwantesii - v. marthae ,70Km S Aus	1,40	4,20	28,00	<!D					
6834	LITHOPS terricolor - violetta form	1,40	4,20	36,80	<!D					
6883	LITHOPS terricolor C133	1,50	4,60		<!D					
6886	LITHOPS terricolor C254	1,30	4,00	35,20	<!D					
6824	LITHOPS terricolor peersii	1,40	4,20	36,80	<!D					
6807	LITHOPS terricolor springbokvaka	1,40	4,30		<!D					
6903	LITHOPS turbiniformis	1,30	4,00	28,00	<!D					
6250	LITHOPS verruculosa	1,30	4,00	35,20	<!D					
6285	LITHOPS verruculosa - v glabra	1,50	4,50		<!D					
6832	LITHOPS verruculosa - v inae	1,30	3,90		<!D					
6252	LITHOPS villeti	1,50	4,60	36,80	<!D					
6829	LITHOPS villeti - v kennedyi	1,50	4,60	36,80	<!D					
6206	LITHOPS villetii - v deboeri	1,30	4,00	35,20	<!D					
6286	LITHOPS wernerii	1,40	4,20		<!D					
6301	MACHEIROPHYLLUM albidum	1,20	3,60		<!D					
6302	MALEPHORA crocera	1,20	3,60	24,20	<!D					
6088	MARLOTHISTELLA uniondalensis	1,40	4,30	38,00	<!D					
6666	MESEMBRYANTHEMUM alatum	1,20	3,60	26,40	<!D					
6310	MESEMBRYANTHEMUM crystallinum	1,20	3,60	15,40	<!D					
6370	MESEMBRYANTHEMUM Mischung vieler Gattungen	1,20	3,60	24,80	<!D					
6667	MESTOKLEMA tuberosum v macrorrhizum	1,50			<!D					
6093	MICROPTERUM papulosum	1,20	3,60		<!D					

6017	MICROPTERUM schlechteri	1,20	3,60	<!D					
6913	MITROPHYLLUM mitratum	1,50	4,60	38,20	<!D				
6324	MONILARIA moniliforme	2,40	7,30	68,90	<!D				
6530	MONILARIA pisiforme	2,40	7,30	65,90	<!D				
6181	NAMAQUANTHUS vanheerdii	1,80	5,60	<!D					
6621	NANANTHUS aloides	1,20	3,60	28,60	<!D				
6288	NANANTHUS margaritiferus	1,50	4,60	41,80	<!D				
6029	NANANTHUS transvaalensis	1,20	3,60	24,90	<!D				
6291	NANANTHUS vittatus	1,30	4,00	<!D					
6842	NYCTERANTHUS calycinus	1,30	3,90	<!D					
6668	ODONTOPHORUS angustifolius	1,40	4,30	37,40	<!D				
6671	ODONTOPHORUS nanum	1,40	4,30	37,40	<!D				
6550	OOPHYTUM nanum wintergrower	1,40	4,30	36,30	<!D				
6551	OOPHYTUM oviforme wintergrower	1,30	4,00	35,20	<!D				
6394	OPHTHALMOPHYLLUM carolii	1,60	5,20	46,80	<!D				
6561	OPHTHALMOPHYLLUM verrucosum	1,80	5,90	52,70	<!D				
6395	OPHTHALMOPYLLUM praesectum	1,60	5,20	<!D					
6681	OSCULARIA deltoideae	1,80	4,60	<!D					
6339	PLEIOSPILOS bolusii	1,20	3,60	23,10	<!D				
6705	PLEIOSPILOS magnipunctatus	1,40	4,30	37,40	<!D				
6340	PLEIOSPILOS Mischung-mixed	1,20	3,60	23,10	<!D				
6706	PLEIOSPILOS nelii	1,30	4,00	24,60	<!D				
6710	PLEIOSPILOS simulans	1,40	4,30	37,40	<!D				
6506	PRENIA pallens	1,30	4,00	30,80	<!D				

6689	RABIEA albinota	1,20	3,60	32,00	<!D					
6688	RABIEA difformis	1,30	4,00	35,20	<!D					
6349	RHOMBOPHYLLUM dolabriforme	1,40	4,30	37,40	<!D					
6580	RUSCHIA cupulata	1,20	3,60		<!D					
6575	RUSCHIA macowanii	1,20			<!D					
6037	RUSCHIA macrocarpa	1,20	3,60		<!D					
6356	RUSCHIA Mischung-mixed	0,90	2,60		<!D					
6576	RUSCHIA multiflora	1,20	3,60	19,80	<!D					
6583	RUSCHIA pygmaea	1,40			<!D					
6578	RUSCHIA rupicola	1,20			<!D					
6584	RUSCHIA strubeniae	1,20	3,60	24,80	<!D					
6391	SCELETIUM tortuosum	1,90			<!D					
6024	SEMNANTHA lacera	1,20	3,60	17,60	<!D					
6904	TANQUANA hilmari	1,80	5,60	48,40	<!D					
6546	TANQUANA prismatica	1,80	5,30	46,20	<!D					
6358	TITANOPSIS calcarea	1,20	3,60	29,80	<!D					
6359	TITANOPSIS primosii	1,40	4,30	35,20	<!D					
6360	TRICHODIADEMA densum	1,20	3,60	26,40	<!D					
6365	TRICHODIADEMA marlothii (DE)	1,50	4,60	41,80	<!D					
6960	VANHEERDIA angusta	1,40	4,30	37,40	<!D					
6367	VANHEERDIA divergens	1,40	4,30	36,30	<!D					